

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3578	709/218	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:09
S2	3050	709/225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 12:55
S3	2980	709/226	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 12:55
S4	2028	709/232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 12:55
S5	3372	709/238	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 12:55
S6	1729	709/249	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 12:55
S7	2394	709/250	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 12:56
S8	14247	709/218 or 709/225 or 709/226 or 709/232 or 709/238 or 709/249 or 709/250	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 13:01
S9	28	(709/218 or 709/225 or 709/226 or 709/232 or 709/238 or 709/249 or 709/250) and (work near3 queue near3 (pairs or elements))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 13:11

S10	0	(709/218 or 709/225 or 709/226 or 709/232 or 709/238 or 709/249 or 709/250) and (work near3 queue near3 (pairs or elements) same hardware near3 assist)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 13:04
S11	1	(709/218 or 709/225 or 709/226 or 709/232 or 709/238 or 709/249 or 709/250) and (work near3 queue near3 (pairs or elements) same virtual near3 interface\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 13:13
S12	4	(709/218 or 709/225 or 709/226 or 709/232 or 709/238 or 709/249 or 709/250) and (work near3 queue near3 (pairs or elements) and virtual near3 interface\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 13:12
S13	16	(work near3 queue near3 (pairs or elements) and virtual near3 interface\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 13:14
S14	4	(work near3 queue near3 (pairs or elements) same virtual near3 interface\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 13:13
S15	24	((709/218 or 709/225 or 709/226 or 709/232 or 709/238 or 709/249 or 709/250) and (work near3 queue near3 (pairs or elements))) not ((work near3 queue near3 (pairs or elements) and virtual near3 interface\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/13 13:15
S16	2	start\$5 adj address\$3 with work adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 14:49
S17	11	start\$5 adj address\$3 same work adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 14:52
S18	2	start\$5 adj address\$3 with ((virtual adj interface) or (queue adj pair) or (work adj queue adj pair)) and (work adj queue adj element\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 14:54
S19	3	start\$5 adj address\$3 same ((virtual adj interface) or (queue adj pair) or (work adj queue adj pair)) and (work adj queue adj element\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 14:55

S20	3	((begin\$5 or start\$5) adj address\$3 same ((virtual adj interface) or (queue adj pair) or (work adj queue adj pair)) and (work adj queue adj element\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:01
S21	0	((determin\$5 or indicat\$5) with beginning adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:03
S22	6355	((determin\$5 or indicat\$5) with (begin\$5 or start\$4) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:04
S23	6597	((determin\$5 or indicat\$5) with ((begin\$5 or start\$4) adj address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:22
S24	2	((determin\$5 or indicat\$5) with (begin\$5 or start\$4) adj address) same work adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:04
S25	36	((determin\$5 or indicat\$5) with (begin\$5 or start\$4) adj address) and work near3 queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:22
S26	3391	((determin\$5 or indicat\$5) near3 ((start\$4) adj address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:23
S27	23	((determin\$5 or indicat\$5) near3 ((start\$4) adj address\$3)) and hardware adj assist	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:27
S28	2	((determin\$5 or indicat\$5) near3 ((start\$4) adj address\$3)) same hardware adj assist	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:24
S29	4	starting adj address with queue adj element\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:29

S30	11	((starting or begining) adj address) with (queue adj (element\$2 or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:30
S31	6	((starting or begining) adj address) near3 (queue adj (element\$2 or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:30
S32	0	command near2 data near3 packet42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:10
S33	1299	command near2 data near3 packet\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:14
S34	56	command near2 data near3 packet\$2 with (start\$5 or begin\$5 near3 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:21
S35	2	command near2 data near3 packet\$2 with ((start\$5 or begin\$5) near3 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:21
S36	115	((work adj queue adj element) or WQE\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:41
S37	2	((work adj queue adj element) or WQE\$2) with ((start\$5 or begin\$5) near2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:24
S38	14	((work adj queue adj element) or WQE\$2).ab,ti,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:26
S39	2	(work adj queue adj element\$2) with (determin\$5 near3 (start\$5 or begin\$5) near3 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:30

S40	2	(work adj queue adj element\$2) with ((determin\$5 or detect\$5) near3 (start\$5 or begin\$5) near3 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:31
S41	7	((work adj queue adj element) or WQE\$2) same ((start\$5 or begin\$5) near3 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:30
S42	2	(determin\$5 or detect\$5) with (start\$5 or begin\$5) with address\$2 with WQE\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:32
S43	2	(determin\$5 or detect\$5) with (start\$5 or begin\$5) with address\$2 same WQE\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:33
S44	3	(determin\$5 or detect\$5) with (start\$5 or begin\$5) with address\$2 and WQE\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:34
S45	13158	(determin\$5 or detect\$5) with (start\$5 or begin\$5) with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:34
S46	1365	(determin\$5 or detect\$5) near3 (start\$5 or begin\$5) adj address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:40
S47	2	((determin\$5 or detect\$5) near3 (start\$5 or begin\$5) adj address\$2) same (work adj request\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:36
S48	4	((determin\$5 or detect\$5) with (start\$5 or begin\$5) with address\$2) same (work adj request\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:38
S49	2	((determin\$5 or detect\$5) near3 (start\$5 or begin\$5) adj address\$2) same queue adj pair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:38

S50	3	((determin\$5 or detect\$5) near3 (start\$5 or begin\$5) adj address\$2) and queue adj pair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:39
S51	758	(determin\$5 or detect\$5) adj (start\$5 or begin\$5) adj address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:47
S52	1	((determin\$5 or detect\$5) adj (start\$5 or begin\$5) adj address\$2) and virtual adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:41
S53	901	((determin\$5 or detect\$5) near3 (start\$5 or begin\$5) adj address\$2) and (virtual adj interface) or (work adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:42
S54	901	((determin\$5 or detect\$5) near3 (start\$5 or begin\$5) adj address\$2) same (virtual adj interface) or (work adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:42
S55	2	((determin\$5 or detect\$5) near3 (start\$5 or begin\$5) adj address\$2) same ((virtual adj interface) or (work adj queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:42
S56	3	((determin\$5 or detect\$5) near3 (start\$5 or begin\$5) adj address\$2) and ((virtual adj interface) or (work adj queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:42
S57	337	determin\$5 adj starting adj address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:46
S58	0	determine adj starting adj address with (command near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:47
S59	19	(determin\$5 or detect\$5) adj (start\$5 or begin\$5) adj address\$2 with instructions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:49

S60	10	((determin\$5 or detect\$5) adj (start\$5 or begin\$5) adj address\$2 with instructions).ab,ti,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:49
-----	----	---	---	----	-----	------------------